Peter Barker

, Lake Ontario
Planting plan created by Quinte Conservation





Schedule A:

Plants & Property

Land Characteristics

This planting plan is designed based on the land characteristics identified during the day of the site visit. Plants are chosen according to the soil and light conditions on your property. The number of plants chosen for each planting compartment takes into account the square metre area of the space, as well as the amount of current vegetation cover. **Your property is part of ecoZone: 6a**

Land Characteristics by Compartment

	Length	Width	Area	рН	Soil	Moisture	Light	Height
Α	4m	6m	24m²	normal	loamy, clay	normal	full sun	
В	0m	0m	0m²	normal	sandy, loamy	dry, normal, moist	full sun	
С	0m	0m	0m²	normal	loamy	normal	full sun	max 2m
D	30m	4m	120m²	normal		dry, normal, moist	full sun	
E	33m	20m	660m²	normal	clay	dry, normal, moist	full sun	
F	0m	0m	0m²	normal	loamy	normal, moist	full sun	
	67m	5m	804m²					

Plant Selection Summary

The following shrubs and trees are chosen for their suitability and survivability given the current soil and light conditions in each compartment on your property, as well as preferable features.

Plant Species	Α	В	С	D	Е	F	Potted	Bareroot	Wildflower
Buttonbush	2					4	6		
Smooth Wild Rose	2			24			2	24	
Fragrant Sumac	1						1		
Ninebark	3		5	2	5		7	8	
Swamp Milkweed	3					2			5
Spotted Joe-Pye Weed	3					2			5
Cardinal Flower	3								3
Dense Blazing Star	3								3
Sweet Oxeye	3					2			5
Tamarack		1					1		
Black Willow		1	1				2		
Silver Maple		1	1				2		
Highbush Cranberry		4	5	2	7		9	9	
Red Osier Dogwood		6	6					12	
Black Elderberry		6		6	5		11	6	
Narrow Leaved Meadowsweet			3	24			3	24	
Pasture Rose			4					4	
Chokecherry					3		3		
Oswego Tea (Red Bergamot)						2			2
Subtotal	23	19	25	58	20	12	47	87	23



info@watersheds.ca

Totals	157		
--------	-----	--	--



Plant Information

The following table summarizes key information about each plant selected for your property.



Buttonbush

Height: 2 m

Buttonbush is a small to medium-sized deciduous shrub species which typically grows about 2 m in height. This plant may also be known by the common name Button Willow. Twigs are slender to stout and dark red-brown in colour with white speckling. The leaves are bright green coloured, shiny, ovate shaped, oppositely arranged, and have entire margins. The flowers are tiny, tubular, white, fragrant, and appear densely on distinctive, spherical clusters in June. These flowers turn into a dense cluster of seeds, which remain on the plant throughout the winter. The flowers are beneficial for pollinator species, including hummingbirds and butterflies. This is a hardy, adaptable species and an excellent choice for planting on wet shoreline sites.



Smooth Wild Rose

Height: 1.5m

The Smooth Wild Rose is a shrub species that grows about 1.5 m tall. The name is derived from the fact that it is almost thornless with only a few sharp thorns present near its base. This native shrub is best known for producing beautiful pale pink flowers with five saucer-like petals surrounding a yellow center. The Smooth Wild Rose produces bright red rose hip fruiting bodies which develop during the summer and persist throughout the winter. Leaves produced are alternate and compound, consisting of 5-7 serrated, egg-shaped leaflets.



Fragrant Sumac

Height: 1-2m

The Fragrant Sumac is a medium-sized deciduous shrub within the Cashew family. This species grows between 1-2 meters in height, is multi-stemmed, and produces a round, dense crown composed of erect and spreading branches. Between March and April, small vellow flower clusters bloom on the terminal ends of the branches prior to leaf development. Fruit development begins during late summer. Small, red, hairy berries are produced and can remain on the plant throughout the winter. Male catkins develop on the plant in September. Fragrant Sumac leaves are simple and arranged alternately along the branch. Leaves produced are simple and trifoliate with a large center lobe, appearing similar to Poison Ivy. During the spring and summer, the leaves are light green to green-yellow in colour turning a bright yellow to red or dark purple in autumn. Crushed leaves and stems of the Fragrant Sumac produce a fragrant citrus aroma, hence the common name. The aroma of this shrub is attractive to butterfly species, making it the perfect addition to any butterfly garden. The roots of the Fragrant Sumac are shallow, fibrous, and spread rapidly, making it an ideal choice for stabilizing shorelines and mitigating erosion on steep slopes. Unlike other Sumac species, Fragrant Sumac is significantly less aggressive and easily maintained.



Ninebark

Height: 2-3m

The Common Ninebark is a very hardy, large (2-3m in height), deciduous shrub naturally occurring within riparian zones. This species is often planted as an ornamental shrub for its exfoliating bark which reveals reddish-light brown inner bark. This shrub is multi-stemmed with numerous horizontal and ascending branches creating a full, round shape. The Common Ninebark produces dull green, ovate to round shaped leaves with three to five lobes per leaf. During the fall the leaves turn brilliant yellow or dark purple. Between May and June, showy, bell-shaped flowers bloom in clusters on the terminal ends of the branches. During the summer, these flowers give way to small green or green-yellow berries which turn a bright red upon ripening.



Swamp Milkweed

Height: 1 m

Swamp Milkweed is a beautiful wildflower species that typically grows about 1 m tall. The leaves are light green coloured, narrow, lance shaped, and oppositely arranged. The flowers are showy, fragrant, bright pink, appear in clusters on flowering stems, and bloom between July and August. The flowers give way to large, long and narrow, brown seed pods, which produce an abundance of seeds with tufts of long, white hairs. The flowers are beneficial to pollinator species, like bees and butterflies. As with all Milkweeds, the stem exudes a milky sap when broken, however the sap of the Swamp Milkweed is less milky than other species. This sap is critical for caterpillars of the endangered Monarch Butterfly to deter predators.



Spotted Joe-Pye Weed

Height: 1.5 m

Spotted Joe-Pye Weed is a colourful wildflower species that can grow up to 1.5 m tall and can spread about 1 m. It has a plain or spotted purple stem, which is sometimes covered in fine hairs. The leaves are large, lanceolate shaped, have serrated edges, and appear in whorls of 3-5. The flowers are showy, fragrant, bright pink/purple coloured, have 8-20 disk florets, appear in clusters at the top of a flowering stem, and bloom in mid to late summer. The flowers are beneficial to pollinator species, like bees and butterflies. This plant spreads well and can form small colonies. The roots can be useful for controlling erosion and stabilizing shorelines.



Cardinal Flower

Height: 1 m

Cardinal Flower is an attractive herbaceous perennial wildflower that can grown up to 1 m tall. The leaves are mostly basal, dark green, lance shaped, alternately arranged, and have finely toothed margins. The flowers are showy, bright cardinal red colored, tubular with five lips, appear on an erect terminal spike, and bloom between July and September. The flowers are beneficial for pollinator species, like butterflies and hummingbirds. This is a popular plant choice for wet shoreline properties because of its visual appeal and ornamental value.



Dense Blazing Star

Height: 30-60 cm

Dense Blazing Star is a tall clump-forming perennial wildflower species that can grow between 30 and 60 cm. It has an erect central stem (no branching) that is smooth and purplish/green with many grass-like leaves circulating alternately around it. The leaves are long, narrow, and hairy with one noticeable central vein. This plant is very noticeable when in bloom as it has a wand-like spike of purplish/pink flowers at the top of the central stem. The flowers consist of 4-10 disk florets with a tubular corolla that opens up to 5 spreading star-like lobes and a deeply split protruding style. It prefers moist, well-drained areas such as meadows, moist fields, and along river of lake shorelines. It attracts lots of butterflies and pollinators, as well as mammals such as deer and rabbits. Unfortunately, Dense Blazing Star is listed as threatened under SARA in Ontario. It's main threat is habitat loss due to urban development and habitat alteration. It only naturally occurs in southwestern Ontario with 11-13 known populations. Therefore, this is a great species to plant in suitable areas in Ontario to help protect a threatened species.



Sweet Oxeye

Height: 2m

Sweet Oxeye, also known as False Sunflower, is an attractive, herbaceous, perennial wildflower, which can grow to almost 2 m tall. The flowers are perched atop a stiff stem, with a brownish-yellow center cone surrounded by bright yellow to orange rays. Leaves are 5-12 cm long and 2-8 cm wide, oppositely arranged along the stem, ovate to lanceolate in shape, and have a toothed margin. This wildflower grows best in moist, well-drained soils, preferring full sun, but will tolerate partial shade. Some common natural habitats for the Sweet Oxeve are prairies, meadows, forest edges, and stream banks. Sweet Oxeye is drought tolerant so could be planted in difficult dry sites, but will grow best with regular watering. A large variety of insect species are attracted to the Sweet Oxeye, making it a great addition to a habitat garden.



Tamarack

Height: 20 m

Tamarack is a small to medium sized, deciduous coniferous tree species that grows up to 20 m tall. This plant may also be known by the common name American Larch. The bark is scaly and reddish brown coloured. The needles are delicate, 2-4 cm long, blueish-green coloured, grow in clusters of 15 to 25, and change golden yellow in the fall. This tree provides food and habitat for wildlife species, including birds and mammals. Tamarack is a fast-growing, long lived species that can live up to 150 years and is found across all of Canada. The wood from this tree is decay-resistant and has been used to make railway ties, posts, and crates. Tamarack is considered unique because it is the only conifer species to drop its needles in the fall.



Black Willow

Height: 20 m

Black Willow is the largest native Willow species within North America. This species is considered to be a small to medium sized tree, typically growing 10-20 m in height, with a broad, spreading, and irregular crown. The trunk is large, crooked, often forked or sprouting, and covered in a dark black or brown scaly bark. The leaves are narrow, lance shaped, alternately arranged, and have finely toothed margins. Small green or yellow flowers bloom on catkins during the spring. By mid-summer, flowers turn into a cottony fruit. The Black Willow is a fast growing tree, reaching maturity within 30 years. It has a significant, shallow, spreading root system, which makes it an excellent tree to plant for erosion control and to stabilizing loose soil along shorelines. However, as with most Willows, do not plant near septic system, sewers, or wells because the roots can cause damage.



Silver Maple

Height: 30m

The Silver Maple is a fast growing, deciduous Maple tree famous for its majestic, mature form. This species has a broad, round crown that sits on top of a tall straight trunk reaching 30m in height. Its ascending branches give this tree a full, bushy appearance. Silver Maple leaves can be differentiated from other Maple leaves due to the deep notches on their lobes. It has a silvery white colour on its underside in contrast to bright, light green topside. During the fall, the leaves on the Silver Maple turn a reddish orange to bright golden yellow. Between late April and May, inconspicuous, small greenish red flowers bloom and by June turn to yellowish-green or brownish pairs of winged keys. The Silver Maple's shallow, spreading root system and ability to withstand flood and drought make it an excellent tree to utilize for erosion control and shoreline stabilization.



Highbush Cranberry

Height: 3 m

Highbush Cranberry is a large deciduous shrub species that typically grows about 3 m in height. The branches on this shrub are dense with arching stems, creating a full form. The leaves are oppositely arranged, Maple leaf shaped, have 3 lobes, and have entire or toothed margins. The flowers are showy, creamy white coloured, appear in flat clusters with larger florets surrounding smaller ones, and bloom between May and June. These flowers change into drooping, bright red berry clusters that persist throughout the winter. While the berries are edible to humans, they are very tart when consumed raw so are typically cooked first. This shrub has very attractive fall foliage, changing a reddish purple colour. The flowers are beneficial to pollinator species, like bees and butterflies. The fruit is beneficial to wildlife species, including birds and small mammals. The root system is extensive, making this shrub valuable for controlling erosion and stabilizing loose soil. This species can be found across Canada from Newfoundland to British Columbia, but is most commonly found in Ontario and Quebec.



Red Osier Dogwood

Height: 1.5-4m

The Red Osier Dogwood is a medium-sized, deciduous shrub native throughout Northern and Western North America which typically grows to 1.5-4m. This species is multi-stemmed with numerous erect and ascending bright red branches that create a loose and spreading form. Leaves produced are simple, two-toned with a dark green upper side and light green underside. They are arranged opposite each other along the branches. During the fall, the foliage turns a brilliant red to dark purple. Clusters of small, creamy white flowers form on the terminal ends of the branches between June and July. The Red Osier Dogwood produces blueish-white fruiting bodies during late summer, which may persist throughout the winter. This shrub's berries provide an important winter food source for numerous species, from large deer to small wintering birds.



Black Elderberry

Height: 4 m

The Black Elderberry is a large, fast-growing, deciduous shrub or small tree, which typically grows to 4m. This species tolerates a variety of conditions and is commonly found in sunny locations with welldrained soils. Black Elderberry can be single or multi-stalked with numerous branches creating a full, round body. Leaves are compound, with 5-7 leaflets that grow opposite each other along the branch. During the fall, leaves tend to turn a pale yellow. During late May to early June, this species produces flowers that are ivory white and grow in flat topped clusters. By late August, flowers turn to glossy, deep purple fruit, which attract a variety of wildlife like songbirds and small mammals. Ripe fruit is edible for humans and is commonly made into jams and jellies. The root system of this species is shallow, and can form colonies through suckering.



Narrow Leaved Meadowsweet

Height: 1-2m

The Narrow Leaved Meadowsweet is an erect, deciduous shrub, which grows in the shape of a mound to a height of 1-2m. This species develops numerous branches and branchlets, giving it a sparse appearance. Leaves produced are simple and narrow with sharply toothed borders growing alternately along the branches. These bright, light green leaves appear crowded, as they grow close together on the stocks and branches. During the fall, leaves turn a yellow-red or yellow-orange colour. Small white to light pink flower clusters appear in the spring growing in a dense, narrow pyramid at the terminal ends of the branches. During late summer to early fall, these flowers produce smooth, papery seed pods.



Pasture Rose

Height: 1.5 m


The Pasture Rose is a small (1.5m), deciduous shrub which often spreads through suckers to form colonies or thickets in the wild. This species grows erect from a central base with sprawling branches, creating a dense, irregular bush. This shrub produces compound leaves, consisting of 5 to 7 leaflets arranged alternately along the branches. The Pasture Rose yields beautiful 5 centimeter wide white to pink flowers, which bloom in the early summer lasting for approximately a month. The rose hip fruit develops after the flower has died and turns bright red as it ripens. During the fall, the olive green leaves turn yellow to deep red or purple.



Chokecherry

Height: 6-9 m

The Chokecherry is a large deciduous shrub or small tree which grows between 6 and 9 m tall and is a member of the Rose family. It produces a twisted or crooked trunk as well as a narrow, oval to round crown composed of many slender branches. Leaves are alternately arranged, simple, have a deep green upper surface, and light matte green undersides with tufts of hair at the vein axils. During the fall, foliage turns a vibrant deep red to fire yellow or orange. Between May and June, small showy white flowers grow in cylindrical clusters on the terminal ends of branches. By mid-August, flowers turn into shiny deep red or black cherries, which hang in elongated clusters. The fruit is ripe by September and provides a food source for birds and small mammals. The Chokecherry is often found as pure stands forming thickets, or mixed with other early succession shrub and tree species. This fast-growing plant can quickly invade logged land, abandoned farms, and exposed shorelines. The fibrous and wide-spreading root system of this shrub make it an ideal plant for erosion control and bank stabilization. This species possesses the ability to withstand moderate flooding and drought.



Oswego Tea (Red Bergamot)

Height: 50 cm

Oswego Tea is a showy perennial wildflower species that typically grows about 50 cm in height. This plant may also be known by the common names Red Bergamot or Scarlet Beebalm. The leaves are dark green, oval shaped, have a minty fragrance. The unique flowers are bright red and grow in dense rounded clusters, with individual tubular flowers that bloom between May and October. The beautiful flowers of Oswego Tea attract various pollinator species like hummingbirds, butterflies, and bees. The Oswego Tea plant is susceptible to a common fungal disease, called powdery mildew, when planted in dry soils. Historically, the leaves of the plant have been used for antiseptic purposes, as well as poultices to heal minor wounds and skin infections.

Compartment A

Naturalization Area

Swamp milkweed, joepye weed, boneset, buttonbush, cardinal flower, meadowsweet,

₽H: normal

MOISTURE: normal

SOIL TYPE: loamy, clay

🖒 LIGHT CONDITIONS: full sun









Sweet Oxeye

3



Compartment B

Naturalization Area

Highbush cranberry, silver maple, pussy willow, nanny berry, winter berry, tamarack, black willow, , blue flag iris


₽H: normal

DEPTH: potted, bareroot

MOISTURE: dry, normal, moist

SOIL TYPE: sandy, loamy

LIGHT CONDITIONS: full sun





Compartment C

Naturalization Area

Some trees that pruned and low. Maintain Sunset views

₽H: normal

DEPTH: potted, bareroot

MOISTURE: normal

SOIL TYPE: loamy

Black Willow

Highbush Cranberry

Narrow Leaved Meadowsweet

↑ PLANT HEIGHT: max 2m LIGHT CONDITIONS: full sun





Ninebark

5




Silver Maple

1



Red Osier Dogwood

6





Pasture Rose



3

Compartment D

Naturalization Area


Swamp rose and pasture rose,

₽H: normal

P DEPTH: bareroot

MOISTURE: dry, normal, moist

🖒 LIGHT CONDITIONS: full sun





Smooth Wild Rose

24



Highbush Cranberry

2




Narrow Leaved Meadowsweet

24











Compartment E

Naturalization Area


Plant into naturalized buffer with berry producing wildlife shrubs.

₽H: normal

MOISTURE: dry, normal, moist

SOIL TYPE: clay

🖒 LIGHT CONDITIONS: full sun



Compartment F

Naturalization Area

Landowners would like to enhance here with wildflowers. Consider bee balm, swamp milkweed, boneset, Joepye, cardinal flower, blue flag iris. ₽H: normal

MOISTURE: normal, moist

SOIL TYPE: loamy

🖒 LIGHT CONDITIONS: full sun





Buttonbush

4



Spotted Joe-Pye Weed

2



Oswego Tea (Red Bergamot)

2



Swamp Milkweed

2



Sweet Oxeye

2



Schedule B

Financial Summary Project by: Quinte Conservation

The following section outlines the total cost of your project. It has been divided into 2 sections; 1- Plants and Material, 2- Services. It also includes the breakdown of the landowner contribution and the portion that will be paid by Watersheds Canada, as outlined in the Project Costs Total table.

The Natural Edge program has received generous funding to help support the costs of plants, materials, and project coordination and delivery, making this program possible.

Potted stock

Item	Quantity	Cost/Item	Subtotal
Buttonbush	6	15.45	92.70
Smooth Wild Rose	2	15.45	30.90
Fragrant Sumac	1	15.45	15.45
Ninebark	7	15.45	108.15
Tamarack	1	15.45	15.45
Black Willow	2	15.45	30.90
Silver Maple	2	15.45	30.90
Highbush Cranberry	9	15.45	139.05
Black Elderberry	11	15.45	169.95
Narrow Leaved Meadowsweet	3	15.45	46.35
Chokecherry	3	15.45	46.35
Total Potted plant stock	47		726.15

Bareroot stock

Item	Quantity	Cost/Item	Subtotal
Smooth Wild Rose	24	2.58	61.92
Ninebark	8	2.58	3 20.64
Highbush Cranberry	9	2.58	3 23.22
Red Osier Dogwood	12	2.58	30.96
Black Elderberry	6	2.58	3 15.48
Narrow Leaved Meadowsweet	24	2.58	61.92
Pasture Rose	4	2.58	3 10.32
Total Bareroot plant stock	87		224.46

Wildflower stock

Item	Quantity	Cost/Item	Subtotal	
Swamp Milkweed	5		5.15	25.75
Spotted Joe-Pye Weed	5		5.15	25.75
Cardinal Flower	3		5.15	15.45
Dense Blazing Star	3		5.15	15.45
Sweet Oxeye	5		5.15	25.75
Oswego Tea (Red Bergamot)	2		5.15	10.30
Total Wildflowers plant stock	23			118.45



Tending materials

Item	Quantity	Cost/Item	Subtotal
Mulch	157	1.55	243.35
Tree guards (deciduous only)	4	1.50	6.00
Total Tending materials			249.35

Totals

1-Plants and materials			
Bareroot plant stock			224.46
Potted plant stock			726.15
Wildflower plant stock			118.45
Tending materials			249.35
Plants & Materials			1318.41
2-Services	Quantity	Cost/Item	Subtotal
Quinte Conservation's Site visit (Site visit in-kind)	1 on	0.00	0.00
Plant stocking	157	2.00	314.00
Mulching & tree guard installation	157	1.50	235.50
Shipping & handling of materials			250.00
Planting plan			250.00
Project management and delivery			400.00
Administration fee			50.00
Services total			1499.50
Total Project Costs		Subtota	ıl
Total project value (including in kind contribution		2817.91	
Total eligible costs (excluding in kind contribution		2817.91	
Quinte Conservation's contribution (100% of eligi		2817.91	
Landowner contribution (0% of eligible costs)		0.00	



Schedule C

Project Agreement

Stewardship Agreement

Please indicate your agreement to this proposed plan by signing the following Stewardship Agreement and submitting it, along with your financial contribution, to:

Ouinte Conservation

2061 Old Highway #2 RR#2, Belleville, Ontario K8N4Z2

Plant Availability

Please note that plant species may need to be changed based on plant stock availability at the time of ordering.

Project Completion

Upon receiving your signed stewardship agreement and financial contribution, a date will be booked to complete the project. Watersheds Canada will supply all plants, materials, and planting labour. If there are particular dates that you would prefer, we will do our best to accommodate your requests.



The Natural Edge Stewardship Agreement with Quinte Conservation

Agreement made this 7th Day of the Month of August in the Year 2020.

BETWEEN P. Barker Ontario (Hereinafter called the OWNERS)

AND **Quinte Conservation** 2061 Old Highway #2 RR#2, Belleville, Ontario K8N4Z2 (*Hereinafter called QC*)

WHEREAS the Owners and QC have met and discussed plans for shoreline naturalization on the specified area(s) in Schedule A existing on the Owners' land:

WHEREAS the Owners indicate approval of the project as proposed; and WHEREAS the project is, or will be for the benefit of the Owners and others; NOW THEREFORE THE PARTIES AGREE AS FOLLOWS:

- 1. This Agreement shall be in effect for a period of 5 years, commencing with the date of this Agreement.
- 2. The Owners and QC agree that the areas where the work is to be performed is as described in Schedule A.
- 3. The Owners grant QC, its contractors, employees and agents, the right to enter the property to perform the work agreed upon as outlined in Schedule A. In addition, QC, its contractors, employees and agents may inspect the work performed for the purposes of monitoring the project and survival assessment, with prior agreement with Owners for date and time of inspection.
- 4. The Owners agree to contribute the "Landowner contribution (0% of eligible costs)" and pay the costs indicated in Schedule B.
- 5. In instances where the Owners are to pay QC for work to be performed (outlined in Schedule A), the Owners agree to provide payments to QC prior to the commencement of that operation. Failure of payment shall constitute a breach of this Agreement and the Owners agree this Agreement will be terminated and thereupon the Owners agree to pay QC the estimated costs of the operations of the project completed, if any.
- 6. The Owners agree, if necessary, to perform a reasonable amount of maintenance, which is described in the Native Plant Care Guide, available at watersheds.ca.

- 7. If the contractor is required to perform the work outlined in Schedule A, then the contractor carrying out the work on the land described will be required to take out and furnish evidence of a comprehensive policy of public liability and property damage coverage. The contractor and their workers will be required to be in good standing with the Workplace Safety and Insurance Board prior to performing the work.
- 8. The Owners agree not to remove, destroy or alter the project without prior consultation and approval of QC. Pruning and trimming planted nursery stock, or adding replacement native nursery stock is exempt.
- 9. The Owners agree not to mow the planted area.
- 10. The Owners do acknowledge that QC, its contractors, employees and agents, having performed said works, are not under further obligation with respect to survival of nursery stock, inspection, or maintenance.
- 11. The Owners, in the absence of negligence, hereby remises, releases and forever discharges QC, its contractors, employees and agents from all claims and demands for injuries, including death, loss, damages and costs in any way related to or connected with installation and maintenance of the work described or resulting from any deleterious effects of the work to the land or to the lands and buildings thereon retained by the Owners.

IN WITNESS WHEREOF the parties have agreed to the contents of this plan; SIGNED:

Quinte Conservation

P. Barker

Representative Signature:

Owner Signature:



About this program

About Quinte Conservation

Quinte Conservation is a community based environmental protection agency that serves 18 municipalities in the watersheds of the Moira, Napanee and Salmon Rivers and Prince Edward County. Our programs, services and working alongside residents create a sustainable ecosystem where people and nature live in harmony.

This program was created by Watersheds Canada

We believe that every person has the right to access clean and healthy lakes and rivers in Canada. At Watersheds Canada, we work to keep these precious places naturally clean and healthy for people and wildlife to continue using for years to come. We love working with others to meet the needs of local communities, whether you're a concerned citizen, a landowner, a lake association looking for help, or a coalition of groups interested in activating your local community.

